



## STC Test Report

Date : 2013-12-31  
No. : HC335699

Page 2 of 3

### Investigation Requested:

1. Heavy Metals or Toxic Elements Test 重金屬或有毒元素測試
  - Arsenic content 砷含量
  - Cadmium content 鎘含量
  - Lead content 鉛含量
  - Mercury content 汞含量
2. Microbial Limit Test 微生物限度測試
  - Aerobic plate count 總細菌數
  - Molds and yeasts count 霉菌及酵母菌數
  - *Escherichia coli* 大腸桿菌
  - *Pseudomonas aeruginosa* 銅綠假單胞菌
  - *Staphylococcus aureus* 金黃色葡萄球菌
3. Residual Pesticides Test 農藥殘留測試

### Method(s) Used:

1. In-house Method CFD/STP/FOP/205 by employing Inductively Coupled Plasma – Atomic Emission Spectrophotometry
2. Pharmacopoeia of the People's Republic of China (2000 Volume 1)
3. Gas Chromatography – Electron Capture Detector

### Test Result(s):

1. Heavy Metals or Toxic Elements Test 重金屬或有毒元素測試

Test item(s) 測試項目	鼻敏皇	Upper Limit 上限 (用量計)#	Conclusion 結論
Arsenic content 砷含量	<2 ppm	每日 1500 微克	Pass 合格
Cadmium content 鎘含量	<2 ppm	每劑 3500 微克	Pass 合格
Lead content 鉛含量	<2 ppm	每日 179 微克	Pass 合格
Mercury content 汞含量	<2 ppm	每日 36 微克	Pass 合格

The Hong Kong Standards and Testing Centre Limited 香港標準及檢定中心有限公司  
10 Dai Wang Street, Tai Po Industrial Estate, Tai Po, N.T., Hong Kong 香港新界大埔工業邨大宏街10號  
Tel: +852 2666 1888 Fax: +852 2664 4353 Email: hkstc@hkstc.org Website: www.stc-group.org

This report shall not be reproduced unless with prior written approval from The Hong Kong Standards and Testing Centre Limited.

For Conditions of Issuance of this test report, please refer to the overleaf and Website.

除非事先得到香港標準及檢定中心有限公司的書面批准，否則不得自行復印此報告。測試報告相關的簽發條件，請參閱背頁和本公司網頁。